

AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 1 of 3		

1. Univocal product-type identification code: **HELYOS EVO 350**

- **2.** Type, lot, series no. or any other element that enables the construction product to be identified pursuant to article 11, paragraph 4: **HELYOS EVO**
- 3. Intended use(s) of the construction product according to the relative harmonised technical specification, as stated by the manufacturer: Heat emitting radiators designed for permanent installation in heating systems of residential buildings, fed from a remote source with hot water or steam at a temperature < 120 °C. (EN 442-1 December 2014, EN 442-2 December 2014)
- 4. Name, registered trade name or registered trademark and address of the manufacturer pursuant to article 11, paragraph 5: Radiatori 2000 S.p.a. Via Francesca, 54/A 60, 24040 Ciserano (BG) ITALY
- **5.** If applicable, name and address of mandatary whose mandate includes the assignments as per article 12, paragraph 2: **N.A.**
- 6. System(s) for the assessment and verification of constancy of performance of the construction product, as per annex V: **system 3**.
- 7. In a declaration of performance concerning a construction product that comes under the scope of a harmonised standard:

Notified Testing Laboratory: Politecnico di Milano – Energy Department (Notified body number: 1695)

(name and identification number of notified body, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

- Determination of the thermal output of a heating body (Test report ENE/MRT.RAP.18182 of 31/05/18)
- Pressure tightness tests (Test report ENE/MRT.RES.18182/P of 31/05/18)
 (constancy of performance certificate, plant production control conformity certificate, test/de

(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)

Notified Testing Laboratory: AQM S.r.l. (LAB No. 0095)

(name and identification number of organisation notified, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

Adherence test and Corrosion test in salt mist. (Test report 2018-1426-PC1 of 13/06/18)
 (constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)



NI A

Declaration of Performance no. 0039

AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00

Date 06/05/13

Page 2 of 3

8. In a declaration of performance concerning a construction product for which a European technical assessment has been released:

(name and identification number of technical assessment body, if applicable)
has released
(reference number of European technical assessment)
based on
(reference number of European assessment document)
performed
and has issued
(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)

9. Performance declared

Notes to table:

- 1. Column 1 contains the list of the basic properties as defined in the harmonised technical specifications for the use(s) specified in § 3 above;
- 2. For each property listed in column 1 and conforming to the requirements as per article 6, this column gives the performance declared, expressed in terms of level, class, or through a description, in relation to the corresponding basic properties. If no performance has been declared, the column shows "NPD" (No Performance Determined):
- 3. For each basic property listed in column 1, column 3 gives:
 - A reference, with relative date, to the corresponding harmonised standard, and, if applicable, the reference number of the specific technical documentation, or that of the appropriate technical documentation used:

or



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00

Date 06/05/13

Page 3 of 3

Basic properties	Performance	Harmonised technical spec.
(see note 1)	(see note 2)	(see note 3)
Reaction to fire	A1	Tests on organic part of any paint or surface treatment substance to verify whether it is <1 % by mass. (Clause 5.2, standard EN 442-1:2014)
Release of hazardous substances	None	Clause 5.3, standard EN 442- 1:2014
Surface temperature	120° C maximum and corresponding to water supply temperature	EN 442-1:2014
Maximum operating pressure	20 bar	EN 442-1:2014
Pressure tightness (leak test)	26 bar	Clause 5.4, standard EN 442- 1:2014
Pressure tightness (resistance test)	33,8 bar	Clause 5.6, standard EN 442- 1:2014
Rated thermal output ΔT 50 K	88,8 Watt/element	Clause 5.8, standard EN 442- 1:2014
Rated thermal output ΔT 30 K	46,2 Watt/element	Clause 5.8, standard EN 442- 1:2014
Thermal power in different operating conditions (Characteristic equation)	$\Phi = \text{Km x } \Delta T^n$	Clause 5.8, standard EN 442- 1:2014
Coefficient Km	0,597	Clause 5.8, standard EN 442- 1:2014
Coefficient n	1,278	Clause 5.8, standard EN 442- 1:2014
Durability (impact resistance lightweight)	Level 0	Clause 5.9, standard EN 442- 1:2014
Durability (corrosion test)	No corrosions after 200 h in salt mist	Clause 5.9, standard EN 442- 1:2014

(impact resistance lightweight)		1.2014
	Durability	No corrosions after 200 h in salt	Clause 5.9, standard EN 442-
	(corrosion test)	mist	1:2014
If a s produ	•	een used, pursuant to art. 37 or art. 3	8, the requirements met by the
10.	The performance of the product	as per $\S\S$ 1 & 2 above conforms to the	ne performance declared as per § 9
	This declaration of performance above.	is released under the sole responsib	ility of the manufacturer as per § 4
	Signed in the name and on beha	alf of:	
	ARIANNA SCARA	AVAGGI Mana((name and functions)	ging Director

Ciserano (BG – Italy) 13/06/2018 (place and date of issue)

(signature)



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP – Rev. 00

Date 06/05/13

Page 1 of 3

1. Univocal product-type identification code: **HELYOS EVO 500**

- **2.** Type, lot, series no. or any other element that enables the construction product to be identified pursuant to article 11, paragraph 4: **HELYOS EVO**
- 3. Intended use(s) of the construction product according to the relative harmonised technical specification, as stated by the manufacturer: Heat emitting radiators designed for permanent installation in heating systems of residential buildings, fed from a remote source with hot water or steam at a temperature < 120 °C. (EN 442-1 December 2014, EN 442-2 December 2014)
- 4. Name, registered trade name or registered trademark and address of the manufacturer pursuant to article 11, paragraph 5: Radiatori 2000 S.p.a. Via Francesca, 54/A 60, 24040 Ciserano (BG) ITALY
- 5. If applicable, name and address of mandatary whose mandate includes the assignments as per article 12, paragraph 2: **N.A.**
- 6. System(s) for the assessment and verification of constancy of performance of the construction product, as per annex V: **system 3**.
- 7. In a declaration of performance concerning a construction product that comes under the scope of a harmonised standard:

Notified Testing Laboratory: Politecnico di Milano – Energy Department (Notified body number: 1695)

(name and identification number of notified body, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

- Determination of the thermal output of a heating body (Test report ENE/MRT.RAP.17250 of 10/04/17)
- Pressure tightness tests (Test report ENE/MRT.RES.17250/P of 10/04/17)
 (constancy of performance certificate, plant production control conformity certificate, test/design

(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)

Notified Testing Laboratory: AQM S.r.l. (LAB No. 0095)

(name and identification number of organisation notified, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

Adherence test and Corrosion test in salt mist. (Test report 2017-1304-PC of 17/05/17)
 (constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP – Rev. 00	
Date	06/05/13

Page 2 of 3

8. In a declaration of performance concerning a construction product for which a European technical assessment has been released:

(name and identification number of technical assessment body, if applicable)
has released
(reference number of European technical assessment)
based on
(reference number of European assessment document)
performed
and has issued
(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)
Performance declared

Notes to table:

9.

- 1. Column 1 contains the list of the basic properties as defined in the harmonised technical specifications for the use(s) specified in § 3 above;
- 2. For each property listed in column 1 and conforming to the requirements as per article 6, this column gives the performance declared, expressed in terms of level, class, or through a description, in relation to the corresponding basic properties. If no performance has been declared, the column shows "NPD" (No Performance Determined):
- 3. For each basic property listed in column 1, column 3 gives:
 - A reference, with relative date, to the corresponding harmonised standard, and, if applicable, the reference number of the specific technical documentation, or that of the appropriate technical documentation used;

or



Ciserano (BG – Italy)

(place and date of issue)

Declaration of Performance no. 0033

AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP – Rev. 00

Date 06/05/13

Page 3 of 3

Basic properties	Performance	Harmonised technical spec.
(see note 1)	(see note 2)	(see note 3)
Reaction to fire	A1	Tests on organic part of any paint or surface treatment substance to verify whether it is <1 % by mass. (Clause 5.2, standard EN 442-1:2014)
Release of hazardous substances	None	Clause 5.3, standard EN 442- 1:2014
Surface temperature	120° C maximum and corresponding to water supply temperature	EN 442-1:2014
Maximum operating pressure	20 bar	EN 442-1:2014
Pressure tightness (leak test)	26 bar	Clause 5.4, standard EN 442- 1:2014
Pressure tightness (resistance test)	33,8 bar	Clause 5.6, standard EN 442- 1:2014
Rated thermal output ΔT 50 K	121,2 Watt/element	Clause 5.8, standard EN 442- 1:2014
Rated thermal output ΔT 30 K	63,5 Watt/element	Clause 5.8, standard EN 442- 1:2014
Thermal power in different operating conditions (Characteristic equation)	$\Phi = \text{Km x } \Delta T^n$	Clause 5.8, standard EN 442- 1:2014
Coefficient Km	0,859	Clause 5.8, standard EN 442- 1:2014
Coefficient n	1,264	Clause 5.8, standard EN 442- 1:2014
Durability (impact resistance lightweight)	Level 0	Clause 5.9, standard EN 442- 1:2014
Durability (corrosion test)	No corrosions after 200 h in salt mist	Clause 5.9, standard EN 442- 1:2014

	Durability (corrosion test)	No corros	sions after 200 h in salt mist	Clause 5.9, standard EN 442- 1:2014
If a s	pecific technical document has be	een used, pu	irsuant to art. 37 or art. 3	8, the requirements met by the
10.	The performance of the product	as per §§ 1	& 2 above conforms to t	he performance declared as per § 9.
	This declaration of performance above.	is released	under the sole responsib	oility of the manufacturer as per § 4
	Signed in the name and on beha	alf of:		
	ARIANNA SCARA	AVAGGI	Mana (name and functions)	ging Director
				122

(signature)

17/05/2017



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 1 of 3		

1. Univocal product-type identification code: **HELYOS EVO 600**

- 2. Type, lot, series no. or any other element that enables the construction product to be identified pursuant to article 11, paragraph 4: **HELYOS EVO**
- 3. Intended use(s) of the construction product according to the relative harmonised technical specification, as stated by the manufacturer: Heat emitting radiators designed for permanent installation in heating systems of residential buildings, fed from a remote source with hot water or steam at a temperature < 120 °C. (EN 442-1 December 2014, EN 442-2 December 2014)
- 4. Name, registered trade name or registered trademark and address of the manufacturer pursuant to article 11, paragraph 5: Radiatori 2000 S.p.a. Via Francesca, 54/A 60, 24040 Ciserano (BG) ITALY
- **5.** If applicable, name and address of mandatary whose mandate includes the assignments as per article 12, paragraph 2: **N.A.**
- 6. System(s) for the assessment and verification of constancy of performance of the construction product, as per annex V: **system 3**.
- 7. In a declaration of performance concerning a construction product that comes under the scope of a harmonised standard:

Notified Testing Laboratory: Politecnico di Milano – Energy Department (Notified body number: 1695)

(name and identification number of notified body, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

- Determination of the thermal output of a heating body (Test report ENE/MRT.RAP.17424 of 30/10/17)
- Pressure tightness tests (Test report ENE/MRT.RES.17424/P of 30/10/17) (constancy of performance certificate, plant production control conformity certificate, test/design reports as applicable)

Notified Testing Laboratory: AQM S.r.l. (LAB No. 0095)

(name and identification number of organisation notified, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued

Adherence test and Corrosion test in salt mist. (Test report 2017-3028/PC of 13/11/17)
 (constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 2 of 3		

8. In a declaration of performance concerning a construction product for which a European technical assessment has been released:

N.A. (name and identification number of technical assessment body, if applicable)
has released
(reference number of European technical assessment)
based on
(reference number of European assessment document)
performed
and has issued
(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)

9. Performance declared

Notes to table:

- 1. Column 1 contains the list of the basic properties as defined in the harmonised technical specifications for the use(s) specified in § 3 above;
- 2. For each property listed in column 1 and conforming to the requirements as per article 6, this column gives the performance declared, expressed in terms of level, class, or through a description, in relation to the corresponding basic properties. If no performance has been declared, the column shows "NPD" (No Performance Determined):
- 3. For each basic property listed in column 1, column 3 gives:
 - A reference, with relative date, to the corresponding harmonised standard, and, if applicable, the reference number of the specific technical documentation, or that of the appropriate technical documentation used;

or



Ciserano (BG – Italy)

(place and date of issue)

Declaration of Performance no. 0035

AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP – Rev. 00

Date 06/05/13

Page 3 of 3

Basic properties Harmonised technical spec. Performance (see note 1) (see note 2) (see note 3) Tests on organic part of any paint or surface treatment Α1 substance to verify whether it is Reaction to fire <1 % by mass. (Clause 5.2. standard EN 442-1:2014) Clause 5.3. standard EN 442-Release of hazardous substances None 1:2014 120° C maximum and corresponding to water supply EN 442-1:2014 Surface temperature temperature Maximum operating pressure EN 442-1:2014 20 bar Pressure tightness Clause 5.4, standard EN 442-26 bar (leak test) 1:2014 Pressure tightness Clause 5.6, standard EN 442-33.8 bar (resistance test) 1:2014 Clause 5.8, standard EN 442-Rated thermal output ΔT 50 K 133,1 Watt/element 1:2014 Clause 5.8, standard EN 442-Rated thermal output ΔT 30 K 68,7 Watt/element 1:2014 Thermal power in different Clause 5.8, standard EN 442operating conditions (Characteristic $\Phi = Km \times \Delta T^n$ 1:2014 equation) Clause 5.8, standard EN 442-Coefficient Km 0,843 1:2014 Clause 5.8, standard EN 442-Coefficient n 1,293 1:2014 Clause 5.9, standard EN 442-Durability Level 0

	(impact resistance lightweight)		1.2014
	Durability	No corrosions after 120 h in salt	Clause 5.9, standard EN 442-
	(corrosion test)	mist	1:2014
If a s	.•	en used, pursuant to art. 37 or art. 38	, the requirements met by the
10.	The performance of the product a	as per §§ 1 & 2 above conforms to the	e performance declared as per § 9.
	This declaration of performance i above.	s released under the sole responsibil	ity of the manufacturer as per § 4
	Signed in the name and on behal	f of:	
	ARIANNA SCARA	VAGGI Managi (name and functions)	ing Director

(signature)

13/11/2017



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 1 of 3		

- 1. Univocal product-type identification code: **HELYOS EVO 700**
- 2. Type, lot, series no. or any other element that enables the construction product to be identified pursuant to article 11, paragraph 4: **HELYOS EVO**
- 3. Intended use(s) of the construction product according to the relative harmonised technical specification, as stated by the manufacturer: Heat emitting radiators designed for permanent installation in heating systems of residential buildings, fed from a remote source with hot water or steam at a temperature < 120 °C. (EN 442-1 December 2014, EN 442-2 December 2014)
- 4. Name, registered trade name or registered trademark and address of the manufacturer pursuant to article 11, paragraph 5: Radiatori 2000 S.p.a. Via Francesca, 54/A 60, 24040 Ciserano (BG) ITALY
- 5. If applicable, name and address of mandatary whose mandate includes the assignments as per article 12, paragraph 2: **N.A.**
- 6. System(s) for the assessment and verification of constancy of performance of the construction product, as per annex V: **system 3**.
- 7. In a declaration of performance concerning a construction product that comes under the scope of a harmonised standard:

Notified Testing Laboratory: Politecnico di Milano – Energy Department (Notified body number: 1695)

(name and identification number of notified body, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

- Determination of the thermal output of a heating body (Test report ENE/MRT.RAP.18214 of 15/06/18)
- Pressure tightness tests (Test report ENE/MRT.RES.18214/P of 15/06/18)
 (constancy of performance certificate, plant production control conformity certificate, test/design reports as applicable)

Notified Testing Laboratory: AQM S.r.l. (LAB No. 0095)

(name and identification number of organisation notified, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

Adherence test and Corrosion test in salt mist. (Test report 2018-1616/PC1 of 30/06/18)
 (constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 2 of 3		

8. In a declaration of performance concerning a construction product for which a European technical assessment has been released:

N.A. (name and identification number of technical assessment body, if applicable)
has released
(reference number of European technical assessment)
based on
(reference number of European assessment document)
performed
and has issued
(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)
Performance declared

Notes to table:

9.

- 1. Column 1 contains the list of the basic properties as defined in the harmonised technical specifications for the use(s) specified in § 3 above;
- 2. For each property listed in column 1 and conforming to the requirements as per article 6, this column gives the performance declared, expressed in terms of level, class, or through a description, in relation to the corresponding basic properties. If no performance has been declared, the column shows "NPD" (No Performance Determined):
- 3. For each basic property listed in column 1, column 3 gives:
 - A reference, with relative date, to the corresponding harmonised standard, and, if applicable, the reference number of the specific technical documentation, or that of the appropriate technical documentation used:

or



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP – Rev. 00

Date 06/05/13

Page 3 of 3

Basic properties	Performance	Harmonised technical spec.
(see note 1)	(see note 2)	(see note 3)
Reaction to fire	A1	Tests on organic part of any paint or surface treatment substance to verify whether it is <1 % by mass. (Clause 5.2, standard EN 442-1:2014)
Release of hazardous substances	None	Clause 5.3, standard EN 442- 1:2014
Surface temperature	120° C maximum and corresponding to water supply temperature	EN 442-1:2014
Maximum operating pressure	20 bar	EN 442-1:2014
Pressure tightness (leak test)	26 bar	Clause 5.4, standard EN 442- 1:2014
Pressure tightness (resistance test)	33,8 bar	Clause 5.6, standard EN 442- 1:2014
Rated thermal output ΔT 50 K	148,1 Watt/element	Clause 5.8, standard EN 442- 1:2014
Rated thermal output ΔT 30 K	76,1 Watt/element	Clause 5.8, standard EN 442- 1:2014
Thermal power in different operating conditions (Characteristic equation)	Φ = Km x ΔTn	Clause 5.8, standard EN 442- 1:2014
Coefficient Km	0,903	Clause 5.8, standard EN 442- 1:2014
Coefficient n	1,303	Clause 5.8, standard EN 442- 1:2014
Durability (impact resistance lightweight)	Level 0	Clause 5.9, standard EN 442- 1:2014
Durability (corrosion test)	No corrosions after 200 h in salt mist	Clause 5.9, standard EN 442- 1:2014

	(impact recictaries lightweight)		1.2011
	Durability	No corrosions after 200 h in salt	Clause 5.9, standard EN 442-
	(corrosion test)	mist	1:2014
	specific technical document has beeduct:	en used, pursuant to art. 37 or art. 38	, the requirements met by the
10.	The performance of the product a	s per §§ 1 & 2 above conforms to the	e performance declared as per § 9.
	This declaration of performance is released under the sole responsibility of the manufacturer as per § 4 above.		
	Signed in the name and on behal	f of:	
	ARIANNA SCARA	VAGGI Managi (name and functions)	ng Director

Ciserano (BG – Italy) 30/06/2018 (place and date of issue)

(signature)



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 1 of 3		

1. Univocal product-type identification code: **HELYOS EVO 800**

- 2. Type, lot, series no. or any other element that enables the construction product to be identified pursuant to article 11, paragraph 4: **HELYOS EVO**
- 3. Intended use(s) of the construction product according to the relative harmonised technical specification, as stated by the manufacturer: Heat emitting radiators designed for permanent installation in heating systems of residential buildings, fed from a remote source with hot water or steam at a temperature < 120 °C. (EN 442-1 December 2014, EN 442-2 December 2014)
- 4. Name, registered trade name or registered trademark and address of the manufacturer pursuant to article 11, paragraph 5: Radiatori 2000 S.p.a. Via Francesca, 54/A 60, 24040 Ciserano (BG) ITALY
- 5. If applicable, name and address of mandatary whose mandate includes the assignments as per article 12, paragraph 2: **N.A.**
- 6. System(s) for the assessment and verification of constancy of performance of the construction product, as per annex V: **system 3**.
- 7. In a declaration of performance concerning a construction product that comes under the scope of a harmonised standard:

Notified Testing Laboratory: Politecnico di Milano – Energy Department (Notified body number: 1695)

(name and identification number of notified body, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

- Determination of the thermal output of a heating body (Test report ENE/MRT.RAP.18178 of 16/05/18)
- Pressure tightness tests (Test report ENE/MRT.RES.18178/P of 16/05/18)
 (constancy of performance certificate, plant production control conformity certificate, test/de

(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)

Notified Testing Laboratory: AQM S.r.l. (LAB No. 0095)

(name and identification number of organisation notified, if applicable)

has performed **type tests (standard UNI EN 442-1)** according to system **3.** (description of third party assignments as per annex V)

and has issued:

- Adherence test and Corrosion test in salt mist. (Test report 2018-1256/PC of 20/05/18) (constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)



AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00		
Date	06/05/13	
Page 2 of 3		

8. In a declaration of performance concerning a construction product for which a European technical assessment has been released:

N.A. (name and identification number of technical assessment body, if applicable)
has released
(reference number of European technical assessment)
based on
(reference number of European assessment document)
performed
and has issued
(constancy of performance certificate, plant production control conformity certificate, test/design reports – as applicable)
Performance declared

Notes to table:

9.

- 1. Column 1 contains the list of the basic properties as defined in the harmonised technical specifications for the use(s) specified in § 3 above;
- 2. For each property listed in column 1 and conforming to the requirements as per article 6, this column gives the performance declared, expressed in terms of level, class, or through a description, in relation to the corresponding basic properties. If no performance has been declared, the column shows "NPD" (No Performance Determined):
- 3. For each basic property listed in column 1, column 3 gives:
 - A reference, with relative date, to the corresponding harmonised standard, and, if applicable, the reference number of the specific technical documentation, or that of the appropriate technical documentation used:

or



Declaration of Performance no. 0038

AS PER ARTS. 4, 6, 7 AND ANNEX III TO REG. (UE) 9-3-2011, No. 305/2011

MOD.CL.DDP - Rev. 00 06/05/13 Date Page 3 of 3

Basic properties	Performance	Harmonised technical spec.
(see note 1)	(see note 2)	(see note 3)
Reaction to fire	A1	Tests on organic part of any paint or surface treatment substance to verify whether it is <1 % by mass. (Clause 5.2, standard EN 442-1:2014)
Release of hazardous substances	None	Clause 5.3, standard EN 442- 1:2014
Surface temperature	120° C maximum and corresponding to water supply temperature	EN 442-1:2014
Maximum operating pressure	20 bar	EN 442-1:2014
Pressure tightness (leak test)	26 bar	Clause 5.4, standard EN 442- 1:2014
Pressure tightness (resistance test)	33,8 bar	Clause 5.6, standard EN 442- 1:2014
Rated thermal output ΔT 50 K	164,7 Watt/element	Clause 5.8, standard EN 442- 1:2014
Rated thermal output ΔT 30 K	83,9 Watt/element	Clause 5.8, standard EN 442- 1:2014
Thermal power in different operating conditions (Characteristic equation)	$\Phi = \text{Km x } \Delta T^n$	Clause 5.8, standard EN 442- 1:2014
Coefficient Km	0,942	Clause 5.8, standard EN 442- 1:2014
Coefficient n	1,319	Clause 5.8, standard EN 442- 1:2014
Durability (impact resistance lightweight)	Level 0	Clause 5.9, standard EN 442- 1:2014
Durability (corrosion test)	No corrosions after 200 h in salt mist	Clause 5.9, standard EN 442- 1:2014

	(impact resistance lightweight)	201010	1:2014
	Durability	No corrosions after 200 h in salt	Clause 5.9, standard EN 442-
	(corrosion test)	mist	1:2014
	specific technical document has bee duct:	en used, pursuant to art. 37 or art. 38	s, the requirements met by the
10.	The performance of the product a	s per §§ 1 & 2 above conforms to the	e performance declared as per § 9.
	This declaration of performance is above.	s released under the sole responsibil	lity of the manufacturer as per § 4
	Signed in the name and on behal	f of:	
	ARIANNA SCARA	VAGGI Managi (name and functions)	ing Director
			20 Samo

Ciserano (BG - Italy) 31/05/2018 (place and date of issue)

..... (signature)